





























How to give the right amount of IBUPROFEN (also known as Motrin, Advil) is different depending on which type of ibuprofen you plan to give.

Dose: Give every 6 hours if needed, for fever or pain. **DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.** Do **NOT** use with any other medicine containing ibuprofen.

















Weight	Age	Infant's Ibuprofen Drops (50 mg / 1.25 mL)	Children's Liquid Ibuprofen (100 mg / 5 mL)	Children's Ibuprofen Chewable Tablets (50 mg)	Junior Strength Ibuprofen Tablets (100 mg)	Adult's Ibuprofen Tablets (200 mg)
0 to 11 pounds (up to 5 kilograms)	0 to 5 months	—	—	—	—	—
12 to 17 pounds (about 6 to 7 kilograms)	6 to 11 months	1.25 mL 	2.5 mL 	—	—	—
18 to 23 pounds (about 8 to 10 kilograms)	12 to 23 months	1.875 mL 	4 mL 	—	—	—
24 to 35 pounds (about 11 to 15 kilograms)	2 to 3 years	2.5 mL 	5 mL 	2 tablets 	—	—
36 to 47 pounds (about 16 to 21 kilograms)	4 to 5 years	3.75 mL 	7.5 mL 	3 tablets 	—	—
48 to 59 pounds (about 22 to 26 kilograms)	6 to 8 years	5 mL 	10 mL 	4 tablets 	2 tablets 	1 tablets 
60 to 71 pounds (about 27 to 32 kilograms)	9 to 10 years	—	12.5 mL 	5 tablets 	2 ½ tablets 	1 tablet 
72 to 95 pounds (about 33 to 43 kilograms)	11 years	—	15 mL 	6 tablets 	3 tablets 	1 ½ tablets 
96 pounds or more (44 kilograms or more)	12 years or older	—	20 mL 10 mL + 10 mL  and 	8 tablets 	4 tablets 	2 tablets 

How to give the right amount of DIPHENHYDRAMINE (also known as Benadryl) is different depending on which type of Diphenhydramine you plan to give.

Dose: Give every 6 hours if needed. **DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.** Do **NOT** use with any other medicine with diphenhydramine in it.



Weight →	20 to 24 pounds (about 9 to 10 kilograms)	25 to 37 pounds (about 11 to 16 kilograms)	38 to 49 pounds (about 17 to 22 kilograms)	50 to 99 pounds (about 23 to 45 kilograms)	100 pounds or more (46 kilograms or more)
Children's Liquid Diphenhydramine (12.5 mg / 5 mL)	4 mL 	5 mL 	7.5 mL 	10 mL 	—
Children's Diphenhydramine Chewable Tablets (12.5 mg)	—	1 tablet 	1 ½ tablets 	2 tablets 	4 tablets 
Diphenhydramine Tablets (25 mg)	—	½ tablet 	½ tablet 	1 tablet 	2 tablets 
Diphenhydramine Capsules (25 mg)	—	—	—	1 capsule 	2 capsules 

Do not give to children less than 2 years of age.

Do not give to children 2 to 6 years of age unless your doctor tells you to.

How to give the right amount of ACETAMINOPHEN (also known as Tylenol) is different depending on which medicine you plan to give.

























Dose: Give every 4 to 6 hours as needed for fever or pain. **DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.** Do **NOT** use with any other medicine containing acetaminophen.



How to give the right amount of ACETAMINOPHEN (also known as Tylenol) is different depending on which medicine you plan to give.

Dose: Give every 4 to 6 hours as needed for fever or pain. **DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.** Do **NOT** use with any other medicine containing acetaminophen.



Weight →	6 to 11 pounds (3 to 5 kilograms)	12 to 17 pounds (5 to 7 kilograms)	18 to 23 pounds (8 to 10 kilograms)	24 to 35 pounds (11 to 15 kilograms)	Age →	4 to 5 years	6 to 8 years	9 to 10 years	11 years	12 years or older
	Age →	0 to 3 months	4 to 11 months	12 to 23 months		2 to 3 years				
Infant's Acetaminophen (160 mg / 5 mL)	1.25 mL 	2.5 mL 	3.75 mL 	—	Infant's Acetaminophen (160 mg / 5 mL)	—	—	—	—	—
Children's Acetaminophen (160 mg / 5 mL)	—	—	—	5 mL 	Children's Acetaminophen (160 mg / 5 mL)	7.5 mL 	10 mL 	12.5 mL 	15 mL 	10 mL + 10 mL = 20 mL  and 
Children's Acetaminophen Chewables (160 mg)	—	—	—	1 tablet 	Children's Acetaminophen Chewables (160 mg)	1 ½ tablets 	2 tablets 	2 ½ tablets 	3 tablets 	4 tablets 
Children's Acetaminophen Dissolvable Packets (160 mg / powder pack)	—	—	—	—	Children's Acetaminophen Dissolvable Packets (160 mg / powder pack)	—	2 packets 	2 packets 	3 packets 	—
Adult's Acetaminophen Tablets (325 mg)	—	—	—	—	Adult's Acetaminophen Tablets (325 mg)	—	1 tablet 	1 tablet 	1 ½ tablets 	2 tablets 
Adult's Acetaminophen Tablets (500 mg)	—	—	—	—	Adult's Acetaminophen Tablets (500 mg)	—	—	—	1 tablet 	1 tablet 